
# **Town of Friday Harbor**





Surface water is the sole source of water for those served by the Town of Friday Harbor. Trout Lake, the primary source, is about five and a half miles west of Town in an isolated, undeveloped pocket fed by a steep drainage basin. The Town owns 600 acres of the surrounding 840 acre watershed.

# **Distribution System: detected levels of Primary Standards**

(see acronyms and definitions on page 2)

			Maximum Reported		Likely	Meets
Parameter	MCL	MCLG	Value	Range	Source	Regs?
Copper (1)	Action Level: 90% of the homes tested must have cop- per levels less than 1.3 ppm	1.3 ppm	.66 ppm 2007 levels, tests required every 3 years	.038 to .66 ppm	Corrosion of household plumbing systems	Yes
Lead (1)	Action Level: 90% of the homes tested must have lead levels less than .015 ppm	O ppm	.005 ppm 2007 levels, tests required every 3 years	Not detected to .003 ppm	Corrosion of household plumbing systems	Yes
Total Trihalo- methanes (THMs)	80 ppb	0 ppb	88.2 average for 2007( <sup>2</sup> )	76.2 to 96.4 ppb	By-products of chlorination process	No ( <sup>3</sup> )

<sup>1)</sup> Copper and lead are both naturally-occurring metals. Lead and copper have never been detected in the Town's source water. Both have been used to make household plumbing fixtures for many years, although Congress banned the installation of lead solder, pipes and fittings in 1986. The two contaminants get into drinking water when water reacts with these metals in pipes and fixtures. This is particularly likely to happen when water sits in pipes for more than a few hours. When lead or copper reach the action level in ten percent of the homes sampled, the water provider must begin certain water treatment steps.

The pH range of Friday Harbor water is 7.8 to 8.2 which lessens the corrosive potential of copper and lead. Until July 1998, WA State DOH required a random testing of ten homes once a year for the presence of copper and lead. The detection rates have been so low that these tests are now required every three years. The next testing date is July, 2010.

<sup>&</sup>lt;sup>3</sup>) In 2007 the THM yearly average was above the MCL. Some people who drink water containing THMs over many years may experience problems with their liver, kidneys, or central nervous systems, and may have an increased risk of getting cancer. THM's are formed when organics in the water come in contact with chlorine. We have lowered chlorine levels and are currently making treatment changes to enhance removal of organics. If you would like more information about THM's please call us at 360-378-2154.



<sup>2)</sup> This test is performed once a quarter in the distribution system. Because the test results are averaged over four consecutive quarters, some values in the range may be higher than the maximum reported value.

# **Acronyms and Definitions**

#### **Action Level**

The concentration of a contaminant which, if exceeded, triggers a treatment technique or other requirement which a water system must follow.

#### Cryptosporidium

A tiny organism that is associated with the disease cryptosporidiosis. This disease can be transmitted by swallowing the organism in contaminated water or food, person-to-person contact, or other exposure routes.

#### FΡΔ

Environmental Protection Agency. A federal level agency.

#### **Fecal Coliform**

Fecal coliforms and *E.coli* are bacteria whose presence indicates that the water may be contaminated with human or animal wastes.

# Giardia

A tiny organism that is associated with the disease giardiasis. Swallowing this organism in contaminated food or water, exposure from person-to-person contact, and other exposure routes may cause this disease.

# **Hardness**

Hardness is an indication of the amount of dissolved minerals in water. Friday Harbor water has a range of hardness values from 80-100 ppm, which is considered "medium soft."

# **Inorganic Chemicals**

Examples include things like metals, minerals and salts.

# MCL

Maximum Contaminant Level. The highest level of a contaminant that is allowed in drinking water. MCLs are set as close to the MCLGs as feasible using the best treatment technology.

# **MCLG**

Maximum Contaminant Level Goal. The level of a contaminant in drinking water below which there is no known or expected health risk. MCLGs allow for a margin of safety.

ND Not Detected.

# NTU

Nephelometric Turbidity Unit. Unit of measure used to describe water clarity.

Polyaromatic Hydrocarbons. A group of Synthetic Organic Compounds that are tested for.

# pН

Indicates whether a liquid is acidic or basic. Friday Harbor water has a pH range of 7.0 to 8.3 which lessens the corrosive potential of copper and lead.

#### ppb

parts per billion. One ppb is approximately equal to 1 drop of water in a 22,000 gallon swimming pool.

#### ppm

parts per million. The same as mg/l (milligram per liter). One ppm is approximately equal to 1 drop of water in 22 gallons.

#### **Primary Standards**

Legally-enforceable standards that apply to public water systems. Primary standards limit the levels of specific contaminants that can adversely affect public health and are known or are anticipated to occur in water.

# **Secondary Standards**

Non-enforceable guidelines regarding contaminants that may cause cosmetic effects, such as tooth discoloration, or aesthetic effects, such as taste, color or odor, in drinking water.

#### SRL

State Regulatory Level. Standards that are set by WA State DOH and may supercede federal levels.

#### S00

Synthetic Organic Chemicals. Examples include such things as weed killers, fertilizers and bug spray.

#### **Total Coliform**

A group of bacteria that can be naturally present in the environment and are used as an indicator that other, potentially harmful bacteria may be present.

# **Treatment Technique**

A required process intended to reduce the level of a contaminant in drinking water. A treatment technique may be required by the EPA or WA State DOH.

#### Turbidity

Describes how cloudy the water is. The smaller the number, the clearer the water. Turbidity has no health effects, however, it can interfere with disinfection and provide a medium for microbial growth.

#### VOC

Volatile Organic Chemicals. Examples include things like petroleum-based chemicals, industrial by-products and dry cleaning solvents.

# **WA State DOH**

Washington State Department of Health.

Some people may be more vulnerable to drinking water contaminants than the general population. Immuno-compromised persons, such as people with cancer undergoing chemotherapy, persons who have undergone organ transplants, people with HIV/AIDS or other immune system disorders, some elderly, and infants can be particularly at risk from infections. These people should seek advice about drinking water from their health care providers. EPA/Centers for Disease Control guidelines on appropriate means to lessen the risk of infection by Cryptosporidium and other microbial contaminants are available at www.epa.gov/safewater or from the Safe Drinking Water Hotline (800) 426-4791.

# **CCR Contact:**

Mike Wilks
Utilities Superintendent
360-378-2154
mikew@fridayharbor.org

# The following substances were tested for but not detected or below the MCL:

Volatile Organics are tested annually. These results are from 06/07. Herbicides are tested once every three years. These results are from 03/06. State waiver for Synthetic Organic testing through 12/07. Inorganics are tested yearly. These results are from 06/07.

**Volatile Organics** 

1,2,3 - Trichloropropane Benzene

Bromobenzene Bromochlorometane Bromorneftne Carbon Tetracholoride

Chloroethane Chloromethane Dibromomethane

Chlorobenzenes

Dchlorobenzenes Dichlorodifluoromethane

Dichloroethanes Dichloroethylenes Dchloropropanes; Dichloropropenes Ethylbenzene

Hexachlorobutacliene Hexachlorocyclo-Pentadiene Isopropylbenzene Methylene Chloride

Naphthalene n-Butylbenzene n-Propylbenzene o-Chloratoluene p-Dichlorobenzene

p-Isopropyltoluene Sec - Butylbenzene

Styrene

Tert - Butylbenzene Tetrachloroethanes

Tetrachloroethylene Toluene

Total Xylenes Trichlorobenzenes Trichloroethanes Trichloroethylene Trichlorofluormethane Trimethylbenzenes Vinyl Chloride

**Synthetic Organics** 

1.2.3 - Dichlorobenzene 4,4 - DDD

4,4 - DDE 4,4 - DDT Alachlor

Aldrin Atrazine

Benzo(A)Pyrene Bromacil

2.4D 2,4 DB

2.4.5 T

Butachlor Chlordane Cyanazine

Diazinon Di(Ethylhexyl)-Adipate Di(Ethylhexyl)-Phthalate

Dieldrin Disulfoton Endosulfan 1 Endrine **EPTC** Heptachlor

Fleptachl or Epoxide "B" Hexachlorobenzene

Lindane Malathion Metholachlor Methoxychlor Metribuzin Napthalene Fluorene Acenaphtylene Acenaphthene

Anthracene Benz(A)Anthracene Benzo(B)Fluorathene Benzo(G,H,I)Perylene Benzo(K)Fluoranthene

Chrysene

Dibenzo(A,H)anthracene

Fluoranthene

Indeno(1,2,3-CD)pyrene

Phenathrene Pyrene Parathion

PCBS (Total Arochlors) Pentachlorophenol Benzyl Butyl Phthalate Di-N-Butyl Phthalate Diethyl Phthalate Dimethyl Phthalate

Prometon Propachlor Simazine Terbacil Toxaphene

Trifluralin

Herbicides

2,4,5 - TP (Silvex)

3,5- Dichlorobenzoic Acid

Actiflorfin Bentazon Chloramben Dacthal (DCPA) Dicamba Dichlorprop Dinoseb **MCPA MCPP** 

Pentachlorophenol

Picloram Triclopry

**Inorganics** 

Antimony Arsenic

Asbestos: testing required in 1999 & every 9 yrs

Barium Bervllium Cadmium Chloride Chromium Color Cyanide, Free

Electrical Conductivity

Fluoride Hardness Iron Manganese Mercury Nickel Nitrate-N Nitrite-N Selenium Silver Sodium

Radiological

Sulfate

Thallium

OK. Testing required in 2005 & 2 samples every 3 years thereafter

Microbiological E.coli bacteria

Cryptosporidium

Giardia

# **Trout Lake Treatment Plant: detected levels of Primary Standards**

(see acronyms and definitions on page 2)

Parameter	MCL	MCLG	Maximum Reported Value	Range	Likely Source	Meets Regs?
Turbidity ( <sup>4</sup> )	0.5 NTU	Not applicable	.08 NTU Highest monthly average occurred in Jan, 2007 and March 2007.	.04 to .30 NTU Based on daily samples	Erosion of soils	Yes 100% of samples met turbidity limits

<sup>&</sup>lt;sup>4</sup>) Turbidity has no health effects, however, turbidity can interfere with disinfection and provide a medium for microbial growth. Washington State Department of Health requires treatment facilities to provide full filtration and disinfection.

All other levels of Primary Standards were so low in Trout Lake Treatment Plant water that Washington State Department of Health waived reporting through December, 2007. Primary standards limit the levels of specific contaminants that can adversely affect public health and are known or are anticipated to occur

Town of Friday Harbor PO Box 219 Friday Harbor, WA 98250 PRESORTED STANDARD U.S. POSTAGE PAID FRIDAY HARBOR, WA PERMIT NO. 9